

REVOLVE


# COOPER REVOLVE Product Portfolio

OFFICE & COMMERCIAL | OUTDOOR | INDUSTRIAL

REVOLVE, a brand from Cooper Lighting Solutions, is developed specifically for the Middle East market. The portfolio is designed to meet the needs of lighting projects and caters to a variety of applications; office lighting, commercial buildings, industrial facilities, back-of-house lighting, solar street lighting, retail and hospitality lighting, and outdoor area lighting. These products are aesthetically designed to minimize energy consumption, reduce energy cost while offering a great value for money.

## OFFICE & COMMERCIAL

IP44  
Front



### REVOLVE120 IP44 Lighting Panel

**Key Specs** 34W/ 4100lm, 50W/ 6000lm  
**Size (mm)** 60x60mm / 30x120mm

IP54  
Front



### REVOLVE120 COB IP54 Downlights

**Key Specs** 10W – up to 950lm  
20W – up to 2100lm  
30W – up to 3100lm  
**Cut out size**  $\phi$ 100mm /  $\phi$ 150mm /  $\phi$ 200mm  
**Body Material** Die cast aluminium with front glass

IP54  
Front



### REVOLVE120 COB IP54 Spotlights

**Key Specs** 7W / 700lm  
**Body Material** Die cast aluminium with front glass  
**Cut out size** 75mm



### REVOLVE120 Downlights

**Key Specs** ( $\phi$  105-115) – 9W/ 920lm  
( $\phi$  145-155) – 18W/ 1850lm  
( $\phi$  195-205) – 24W/ 2650lm  
**Colour temperature (K)** 3000K/ 4000K/ 6500K



### REVOLVE120 Batten

**Key Specs** L1200 – 33W/ 4000lm  
L1500 – 50W/ 6000lm  
**Size (LxWxH)** L1200 – 1125x58x52  
L1500 – 1445x58x52  
**Colour temperature (K)** 3000K/ 4000K/ 6500K



### REVOLVE120 Suspension Luminaire

**Key Specs** W12L1200 – 34W / 3000lm  
W12L600 – 16W / 1500lm  
W07L1200 – 28W/ 2600lm  
W07L600 – 14W/ 1300lm  
W10L1200 – 32W/ 2900lm  
**Colour temperature** 4000K/ 6500K



# INDUSTRIAL

IP65



## REVOLVE120 Waterproof Luminaire

**Key Specs** 2ft - 16W/1800lm  
4ft: 22W (2500lm) / 42W (4900lm)  
5ft - 31W (3600lm)/ 50W (7000lm)

---

**CCT** 3000K/ 4000K/ 6500K

IP65



## REVOLVE120 Bulkhead Luminaire

**Key Specs** 11W - 1050lm@3000K/1100lm@4000K  
17W - 1615lm@3000K/1700lm@4000K

---

**CCT** 3000K/4000K

**Integrated Sensor** In-built motion sensor option

IP65



## REVOLVE120 Highbay

**Key Specs** 100W / 11500lm  
150W / 17000lm  
200W / 22500lm

---

**CCT** 4000K/ 6500K

# OUTDOOR

IP65



## REVOLVE120 Floodlight CCT select

**Key Specs** 30W - up to 3600lm  
50W - up to 6000lm  
100W - up to 12000lm  
150W - up to 18000lm  
200W - up to 24000lm

---

**Colour temperature (K)** 3000K/ 4200K/ 6500K (CCT select)

>180lm/W

IP65



## REVOLVE120 All-in-one Solar streetlight

**Key Specs** 27W - 5000lm  
40W - 7200lm  
50W - 9000lm  
67W - 12000lm  
95W - 17500lm

---

**Sensor** In-built microwave sensor

IP65

>190lm/W



## Revolve120 All in one Solar Urban Post-top

**Key Specs** 10W - 1900lm  
20W - 3700lm  
30W - 5550lm

---

**Sensor** In-built microwave sensor

**REVOLVE**



**Signify International B.V. (Middle East Office)**  
Dubai Knowledge Village, Al Sufouh 2  
P.O Box 5653, Dubai United Arab Emirates  
[www.cooperlightingme.com](http://www.cooperlightingme.com)